

Georgia State University

ScholarWorks @ Georgia State University

SW Publications

School of Social Work

2012

Grandmother Kinship Care Providers: Predictors of Elevated Psychological Distress

Deborah M. Whitley

Georgia State University, dwhitley@gsu.edu

Follow this and additional works at: https://scholarworks.gsu.edu/ssw_facpub



Part of the [Maternal and Child Health Commons](#), and the [Social Work Commons](#)

Recommended Citation

Whitley, Deborah M., "Grandmother Kinship Care Providers: Predictors of Elevated Psychological Distress" (2012). *SW Publications*. 32.

https://scholarworks.gsu.edu/ssw_facpub/32

This Presentation is brought to you for free and open access by the School of Social Work at ScholarWorks @ Georgia State University. It has been accepted for inclusion in SW Publications by an authorized administrator of ScholarWorks @ Georgia State University. For more information, please contact scholarworks@gsu.edu.

Grandmother Kinship Care Providers: Predictors of Elevated Psychological Distress

Susan J. Kelley, RN, PhD and Deborah M. Whitley, MSW, PhD
Georgia State University



Introduction

- Most children in kinship care with grandmothers in the U.S. have been abandoned or maltreated
- The challenges these caregivers encounter often include poverty, social isolation, and diminished health
- These factors may hinder the grandmother's ability to provide a supportive family environment

Purpose and Hypothesis

The purpose of the present study was to:

- Determine levels of psychological distress in African American caregiving grandmothers
- Identify predictors of increased distress in African American custodial grandmothers

We hypothesized that:

- Diminished grandmother health, family resources and support, as well as increased child behavior problems, will predict psychological distress

Methods

Participants

- 516 African American grandmothers raising one or more grandchildren
- Mean age: 56.5 years (range 35 to 83)
- Less than high school education: 41.7%
- Currently married: 19.7%
- Raising an average of 2.4 children

Measures

- Brief Symptom Index
- Child Behavior Checklist
- Family Resource Scale
- Family Support Scale
- Short Form General Health Survey

Analyses

- Descriptive statistics
- Hierarchical multiple regression

Results

Psychological Distress Scores

- 26% scored in clinical range ($T \geq 63$) based on General Severity Index (GSI)
- 38.8% scored in clinical range based on two or more subscales ($T \geq 63$)

Predictors of Psychological Distress

- Externalizing child behaviors
- Internalizing child behaviors
- Physical health
- Family resources

Nonpredictors

- Family social support

Regression Summary Statistics:

- Model predicted 33% of total variance
- $R^2 = .33$, $F(11,503) = 22.46$, $p < .001$

Discussion

Summary and Implications

- Almost 40% of kinship caregivers scored in clinical range for psychological distress
- Child behavior problems, diminished health, and lack of family resources were strongest predictors of caregiver distress
- Behavioral interventions are needed for both the grandchildren and grandmothers
- Caregivers need strategies for coping with traumatized children
- Physical health problems of kinship care providers need to be addressed
- Public policy should address the myriad needs of kinship care providers

Limitations

- Heterogeneity of sample in regard to race-ethnicity and urban setting
- Lack of comparison group
- Reliance on a single informant

