

ScholarWorks@GSU

Blood Donation Brochure

Download date	2026-06-09 18:51:13
Link to Item	https://hdl.handle.net/20.500.14694/1104

Engage your **community** to increase **African-American blood donations** one family at a time!



If you have a loved one affected by **sickle cell disease** or **thalassemia**, you've probably been asked –

“How can I help?”

Tell your family, friends, and co-workers they can . . .

Donate Blood

It's safe. It's easy. It makes a difference!

DONATING blood saves lives!

YOU can make a difference!

Encourage your family and friends to donate blood today.

Be the
Motivation
for
Blood Donation



REdHHoTT
Improving transfusion practice through
data sharing and education

African-American Blood Donations Are Important

Blood is blood, right? **No.**

Blood from an African-American donor to an African-American recipient is more likely to match. This can mean fewer health problems for the recipient.

African-Americans can help people suffering from serious diseases, like **sickle cell** and **thalassemia**, by donating blood.

Less than 1% of all blood donations come from African-Americans.



Here's What You Can Do!

Give blood.

Encourage others to donate by sharing your story.

Organize a blood drive. Make an announcement at neighborhood functions, church gatherings, work, or fraternity/sorority meetings.

Did you know a person is **more likely** to donate blood if you simply ask?

Make a difference. Encourage others to donate today!

Learn More About Sickle Cell and Giving Blood

American Red Cross (404) 876-3302
redcross.org/give-blood

LifeSouth Community Blood Centers (888) 795-2707
lifesouth.org

Sickle Cell Foundation of Georgia (404) 755-1641
sicklecellga.org

Centers for Disease Control and Prevention
cdc.gov/ncbddd/sicklecell

Who Can Donate

To donate, you must be at least **16** years old, weigh at least **110** pounds, and be, generally, in good health.

Most people with diabetes or high blood pressure **can** donate blood.

If you couldn't donate blood in the past because of low iron, you can **try again!** Try eating nutritious food and drink plenty of fluids before donating.



Giving Blood is Easy

Giving blood takes about an hour. You can expect to register; provide a confidential health history and have a mini-health exam; give blood; and eat a free snack.

There is no risk of catching a disease from donating blood.